

PRODUCT SHEET / 2017 06 12

LimbusDeskup RoundedEdges

Desk-up screen

Design: Team Glimakra




LimbusDeskup RoundedEdges

Desk-up screen

Design: Team Glimakra

LimbusDeskup RoundedEdges has a radius that is sweeping along the screen frame and gives the outside a smooth profile. The fabric-covered edges together with the fabric piping which runs on the inside of screen are processed details that give the desk-up screen an elegant shape. LimbusDeskup RoundedEdges has both sound absorbing and sound reducing properties.

DIMENSIONS



Height over table: See separate product sheet for desk fittings.

Other dimensions on request.

Thickness: 40 mm

Corner radius: 35 mm

Edge radius: 35 mm

Weight [kg]:


Height [mm]:	500	640	790
Width 400 mm	4.0	5.0	6.1
Width 800 mm	5.5	7.0	8.6
Width 1000 mm	7.0	9.0	11.1
Width 1200 mm	7.8	10.0	12.3
Width 1400 mm	9.4	12.0	14.8
Width 1600 mm	10.9	14.0	17.3
Width 1800 mm	12.5	16.0	19.8
Width 2000 mm	14.1	18.0	22.2
Width 2400 mm	16.9	21.6	26.7

DESCRIPTION


Body: 15 mm sound absorbing polyether (Oeko-Tex) glued on both sides of an 8 mm sound reducing MDF board (Nordic Ecolabel) with a 40 mm frame rounded edges and corners.

Upholstery: Upholstered with nailed fabric on both sides. The outer fabric draped over the rounded edge and upholstery nailed on the inside. The nails are covered with a decorative fabric piping.

Installation: Fitted to the table with 2-4 desk fittings. Grey as standard, black and white on request. More information in separate product sheet.




Angle




Fitting 30



Stable



F



F-23

100% recyclable materials.

LimbusDeskup RoundedEdges

Desk-up screen

Design: Team Glimakra

OPTIONS

Fabric: Cara laminated, Hush, Stay, Blazer Lite, Blazer, Mainline Flax and Synergy. Other fabrics on request.

Fabric piping: 22 colours from Limbus piping selection map.

Integrated toolbar: Aluminium and white. A variety of accessories are available. See price list under LimbusDeskup Toolbar / Accessory for current accessories.

Integrated outlets: The screen can be fitted with Axessline outlets with 2 power, 1 data and 2 USB. Cable outlets under the desk.

Integrated cable channel: The screen can be fitted with an integrated cable channel with an aluminium cover. Cable outlets under the desk.

CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013 (Report 10171560.03, Date 2012-01-30, WSP Akustik, laboratory accredited by Swedac)

Möbelfakta: The product meets the requirements for environment and social responsibility defined by Möbelfakta.

Glimakra of Sweden AB is certified according to ISO 9001:2008 and ISO 14001:2004.




SPECIFICATION TEXT

E.g: LimbusDeskup RoundedEdges 1600 x 790 x 40 mm.
2 x 15 mm sound absorbing polyether on both sides of an 8 mm sound reducing MDF board. Rounded corners and edges.

Fabric: Blazer CUZ 28 on the inside and Blazer CUZ 30 on the outside. No visible seams. Nails hidden by fabric piping black 190.

Acoustics evaluated according to SS 25269.



Equivalent absorption area per m² screen surface (m²S/m²)

LimbusDeskup RoundedEdges

Desk-up screen

Design: Team Glimakra

