
Floor screen

Design: Team Glimakra






Floor screen

Design: Team Glimakra



LimbusFloor NoteBoard is a floor screen with magnetic glass. Easy moveable with white feet on wheels. Choose color-matched glass for 8 different fabrics or white glass to any fabric. The floor screen has a perfect balance between sound absorption and sound propagation that is achieved with a sound reducing body and a sound absorbing polyether on both sides.

#### DIMENSIONS



Size: 1000 x 1600mm (1735mm including wheels)

Weight: 30 kg

100% recyclable materials.

### DESCRIPTION

Body: 15mm sound absorbing polyether (Oeko-Tex) glued on both sides of an 8mm sound reducing MDF board (Nordic Ecolabel) with a 40mm straight frame. Painted magnetic writing board in glass.


 $\label{thm:pholstery:upholstered} \begin{picture}(100,00) \put(0,0){\line(0,0){100}} \put(0,0){\li$ 

are covered with a decorative fabric piping.

Foot with wheels: Powder coated white 190 x 45 x 6 mm.

Total height foot with wheels: 135 mm.

Installation: The feet are mounted with an allen key.



Floor screen

Design: Team Glimakra



#### FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: http://glimakra.com/en/download/.

#### OPTIONS

MLF 20

2005-Y40R

MLF 28

3502-Y

Fabrics with colour matching glass typewriter: Mainline Flax 08, 09, 20, 21, 26, 28, 30, 31.



#### CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013 (Report 10171560.03, Date 2012-01-30, WSP Akustik, laboratory accredited by Swedac)

Möbelfakta: The product meets the requirements for environment and social responsibility defined by Möbelfakta.

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.






#### SPECIFICATION TEXT

E.g: LimbusFloor NoteBoard 1000 x 1600 x 40 mm with white wheels. Magnetic colour matched writing board in glass. Fabric Mainline Flax 21, piping 57 beige.

 $2 \times 15$  mm sound absorbing polyether on both sides of an 8 mm sound reducing MDF board. Sharp corners.



Equivalent absorption area per m<sup>2</sup> screen surface (m<sup>2</sup>S/m<sup>2</sup>)

The values are to be multiplied by the screen area.

Floor screen

Design: Team Glimakra



