

Barn 300

Open Pods

Design: Johan Kauppi



GLIMAKRA
OF SWEDEN



Barn 300

Open Pods

Design: Johan Kauppi



GLIMAKRA
OF SWEDEN

A muted pavilion, for meetings and work. The design has a clear horizontal expression, inspired by the landscape of Swedish Lapland. The system is based on identical acoustic baffles of fabric, mounted at consistent distances, giving the furniture a balanced combination of sound absorption and transparency, for large-scale repetition in public interiors.

DIMENSIONS



Width: 2366 mm

Depth 2300 mm

Height: 2945 mm

Weight: 400 kg

DESCRIPTION

Barn 300 has a white metal frame in 40 mm square tubes. The parts are coupled with hidden connection angles. 32 panels that form walls and roof are hooked onto the frame. The floor is a 15 mm single-piece parquet floor in white-painted ash wood. It is placed on the 40 mm frame and cellular plastic. Lamp hooks, cable ducts and a double power outlet are standard. The housing has a polyester felt to protect against the floor.

Panels: 19 mm Lightweight MDF with 6 mm polyether and fabric. Matching colours in fabric piping.

Metal frame: Powder coated NCS S 0500-N White
100% recyclable material.

Ask Air is a 1-pole floor with a refined expression in a clean, exclusive sorting and a light white shade. The four-sided microfase around each board highlights the classic shelf format. The ultra-matte surface minimizes the reflections of the light and allows the colour and feel of the floor to come to its fullness while protecting the wood from daily wear.

Detailed Description - Naturally occurring variations in the wood colour are allowed. The product has medium, black twigs. The quays can vary in size and number.

Colour change - Coloured product, visible change over time.
Ultra-finished lacquer. Hardness (Brinell Value) 4.0

White grounded double outlet located at the center post on one side. Electrical connection must be done by a qualified electrician.

FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>

MOUNTING

The frame is screwed together with hidden connecting angles. The panels are hooked with neck braces on the outside of the body. The floor is dimensionally sized and clipped on top of cellular plastic and square tubes. An aluminum threshold frame is screwed along both edges.




Barn 300

Open Pods

Design: Johan Kauppi



GLIMAKRA
OF SWEDEN



Barn 300

Open Pods

Design: Johan Kauppi



CERTIFICATES

Möbelfakta: The product meets the requirements for environment and social responsibility defined by Möbelfakta.

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

E.g: Barn 300, 2366x2300x2945 mm.

Fabric: Blazer CUZ28, piping 18.

Barn 300

Open Pods

Design: Johan Kauppi



GLIMAKRA
OF SWEDEN

