



GLIMAKRA MEDICAL



RELIABLE PRODUCTS FOR HEALTHCARE

GLIMAKRA MEDICAL



Glimakra of Sweden is a leading furniture manufacturer of screening products, for offices and public spaces. Following the demand and wishes from several of our customers, we have now adapted several products in our range, to the healthcare environment. In other words, the products have a long history in our range, which makes them reliable and durable.

In our Medical range we offer proven products that are specially adapted for healthcare. The products are flexible, easy to clean and mobile and are also produced in our own factories in Sweden, with the highest regard to quality and environmental factors.

With Glimakra Medical we offer flexible, wipeable, easy-to-install floor screens, fixed and mobile wall systems as well as stand-alone modules in various sizes for temporary hospitals, but also for traditional hospitals, care centers, nursing homes, nursing homes, crisis centers, etc.

The medical assortment is produced in rational factories in Sweden, with short delivery times and safe delivery flows of materials.

INDEX




	PAGE
VIKING MEDICAL <i>Viking Medical is a mobile foldable floor screen with wipeable surfaces.</i>	6
EUROPO MEDICAL <i>Europo Medical is a flexible floor screen system, developed specifically for hospitals and other health care facilities.</i>	8
EUROPOROOM MEDICAL <i>EuropoRoom Medical is flexible, wipable room-building partitions with wooden frame.</i>	10
SPACE MEDICAL FIXED SCREEN <i>Space Medical Fixed screen is a robust screen wall developed for places where more permanent shielding is desired.</i>	12
SPACE MEDICAL WALLSYSTEMS <i>Space Medical is a robust wallsystem from which you can easily build walls and "room in the room", which should be temporary or permanent.</i>	14





Viking Medical is a mobile foldable floor screen with wipeable-surfaces. It suits perfectly as temporary screening between beds in a hospital ward, or wherever you need temporary screening.

The rubber castors make it very easy to move, and the foldable floor screen takes very little space when it is not used. Viking Medical also works as a double-sided whiteboard, were it is possible to write texts on either side of the foldable screen.



Weight:

Height (mm)	Screen width (mm)	3-folded (kg)
1577	680	29
1877	680	34

DESCRIPTION

Foldable 3-part floor screen on castors.
Frame: White painted solid Beech 25 x 50 mm NCS S 0502-Y
Fillings: HPL laminate, white
Feet: With lockable castors
Hinge: Foldable 360°
Mounting: The screens are delivered assembled. The castors are fitted by the customer.
100% recyclable materials.

CERTIFICATES

Möbelfakta: The product has been declared and approved in accordance with the criteria for floor screen. Walls in Möbelfakta ver.
2015-05-01. Reg. No: 0320160120. Valid until 2021-01-14.



Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.

SPECIFICATION TEXT


E.g: Glimakra Viking Medical foldable floor screen on castors
2040 x 1577 mm. Wipeable HPL laminate.





Europa Medical is a flexible floor screen system, developed specifically for hospitals and other health care facilities. The stable floor screens are connected through connection strips in different executions, and it is therefore possible to build in almost endless setups.

Europa Medical floor screens has a quick coupling system, which makes it easy to mantle and to dismantle.



Other dimensions on request.
Thickness: 40 mm


DESCRIPTION

Frame: White painted solid Beech 40 x 40 mm
NCS S 0502-Y
Filling: HPL laminate, white.
Foot: Powder coated grey 500 x 40 x 6 mm.
100% recyclable materials.

MOUNTING

The screens have quick coupling and are connected to solid connection strips in different executions. Stability is obtained with wall connections, angled formations and feet. Glimakra will assists with advice regarding stability and performance.

Connection principle:



Connection: Connection strip straight / 90° / 60° / 45°, 3-way or 4-way.

CERTIFICATES

Glimakra of Sweden AB is certified according to
ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

E.g: Glimakra Europa Medical floor screen
800 x 1500 x 40 mm.
Wipeable HPL laminate.






EuropoRoom Medical is flexible, wipeable room-building partitions with wooden frame. The system can be freestanding, or wall mounted and can be height-adjusted to ceilings from 2070 to 2700 mm.

The walls are wipeable and made of either HPL laminate or hardened glass and can be freely changed how and wherever you want. The widths can be adjusted for exact building dimensions and with sliding doors lockable rooms can be created.

EuropoRoom

Medical is available in a number of standard modules, but can be customized to your wishes. The screen walls have quick couplings that are joined together with coupling posts making it very easy to assemble and disassemble.

DIMENSIONS



Other dimensions on request. Lowest height 2070 mm.
 Dividing borders: Standard divisions at 800 and 2070 mm.
 Thickness: 40 mm
 Weight: approx. 40 kg / screen


DESCRIPTION

Frame: White painted beech 40 x 40 mm NCS S 0502-Y
 Fillings: HPL Laminate, white or hardened glass clear or etched
 Sliding door: Incl. lock, adjustable at height.
 Foot: Powder coated grey 500 x 40 x 6 mm.
 100% recyclable materials.

MOUNTING

The screens are easy to assemble with solid connection strips in different executions. Stability is obtained with wall connections, angled formations, feet or ceiling strip. The sliding door should be fixed in the floor for the best precision. Glimakra will assists with advice regarding stability and performance. The screens are numbered according to the drawing enclosed to the confirmation.

Connection principle:



Connection: Connection strip straight / 90° / 60° / 45°, 3-way or 4-way.
 End: End strip.
 Dividing border: Optional number, height 3/4, 2/3, 1/2, 1/3 or 1/4.
 Connection to ceiling: Customized height and ceiling strip

CERTIFICATES


Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

E.g: Glimakra EuropoRoom Medical MODULE DOUBLE BED 7044 x 3660 x 2700 mm according to product specification incl. sliding door 800 mm.
 Wipeable HPL Laminate and hardened glass
 Dividing borders: 800 and 2070 mm





Space Medical Fixed screen is a robust screen wall developed for places where more permanent shielding is desired. You always start from a wall and from there it is easy to build straight walls, L-shaped walls, T-shaped walls, angle walls, in short you can create your own shielded walls however you want.

The fixed screens are designed for screenings between, for example, beds in nursing rooms / nursing rooms, changing rooms, treatment rooms or meeting rooms.

INFORMATION

Our fixed screens are available in three standard heights and three standard widths that you can combine anyway, we also offer special solutions.

The walls are made of compact laminate which provides good hygiene for the hospital environment, and is very easy to wipe off and withstand proper water flushing during cleaning.

The very robust and durable compact laminate walls are set up with an aluminum profile system and the mounting is both easy and quick to complete.

DIMENSIONS


Standard length screen: 1330 mm / 2400 mm / 2640 mm
Standard height screen: 1480 mm / 1955 mm / 2295 mm
Distance floor / screen: 410 mm

DESCRIPTION

Profiles: natural anodized aluminum, 40mm in diameter.
Frame: 10mm compact laminate.
Colored frame: White, 406 SEI, NCS S 0502-G50Y
Installation instructions are included with each screen.
100% recyclable materials.

OPTIONS

Unique solution: Contact us at Glimakra of Sweden.
Colors in stock = same delivery time:



CERTIFICATE

SundaHus: The product has been declared and approved according to the criteria in SundaHus.
Product evaluation: The product has been declared and approved according to the criteria in Byggarubedömningen.



SPECIFICATION TEXT

Ex: Glimakra Space Medical fixed screen 2640x1070 mm white 406 SEI.





Space Medical is a robust wallsystem from which you can easily build walls and "room in the room", which should be temporary or permanent. It is easy to create bed halls, private rooms, changing rooms, treatment rooms or toilets and showers.

Space Medical's flexible wallsystems can advantageously be placed in, for example, exhibition halls, hospitals, gymnasi-ums or sports facilities. The wallsystem does not need to be anchored to neither floor, wall nor ceiling. The flexible system makes it possible to build with doors, screens, drapery rails and openings, wherever you want.

INFORMATION

The Space Medical wallsystem is tight to the floor, but is also available with 150 mm "air gap" between the floor and the screen wall, if desired. The system is made up of compact laminate which provides very good hygiene for the hospital environment, and is very easy to wipe off and withstand proper water flushing during cleaning. The very robust and durable compact laminate walls are set up with an aluminum profile system and the mounting is both easy and quick to complete.

DIMENSIONS

Standard length walls: 1000 mm
Height of walls: 1950 mm
Door leaf: Choose between width 600 mm / 900 mm

DESCRIPTION


Profiles: natural anodized aluminum, 40 mm in diameter.
Frame: 10 mm compact laminate.
Colored frame: White, 406 SEI, NCS S 0502-G50Y
Drawer rail: 11 hooks / m (3m = 33 hooks)
Close to floor.
Limitation: For every 3m, a bracing profile is needed to connect wall-to-wall or existing wall.
We help you create a sustainable construction.
Installation instructions accompany each order with one specific drawing.
100% recyclable material.

OPTIONS

Max height in stock: 2180 mm
Colors in stock = same delivery time:



406 SEI, White, NCS-S 0502-G50Y
475 SEI, Light grey, NCS-S 2502-B
879 SEI, Dark grey, NCS-S 7502-B
Frost



598 SEI, Vienna
560 SEI, Twist Light
421 LUC (blank), Black shiny, NCS-S 9000-N

Note! Shiny!

CERTIFICATE

SundaHus: The product has been declared and approved according to the criteria in SundaHus.
Product evaluation: The product has been declared and approved according to the criteria in Bygghuset.

BYGGVARUBEDÖMNINGEN



SPECIFICATION TEXT

Ex: Ex: Glimakra Space Medical Module 3000x1950 mm white 406 SEI.





Glimakra of Sweden AB
Box 125, SE-289 04 Glimåkra, Sweden
Försäljning 044 454 10 | Sales +46 44 454 20

info@glimakra.com | www.glimakra.com

