

# Limbus Soft 40

Desk screen

Design: Team Glimakra



# Limbus Soft 40


## Desk screen

Design: Team Glimakra



Limbus Soft 40 desk screen is a further development of one of our most popular acoustic desk screen series, with the characteristic piping that runs around the edge of the screen. We have added more acoustic material in the construction, without taking away the soft curves that characterize the Soft series. One of the most important purposes of a desk screen is to reduce the sound spreading between workplaces. The Limbus Soft 40 desk screen is developed to optimize good sound absorption, but also isolate the sound through its solid core, which stops sound at certain frequency's as well as absorbs it through the acoustic material. The Soft series offers flexibility, great sound reducing characteristics, high quality and a design that melts into most environments.

### DIMENSIONS



Height over table: See separate product sheet for desk fittings.

Other dimensions on request.

Thickness: 40 mm

Weight [kg]:

Height [mm]:	500	640	790
Width 840 mm	4.8	6.1	7.6
Width 1000 mm	5.8	7.4	9.1
Width 1200 mm	6.9	8.8	10.9
Width 1400 mm	8.1	10.3	12.7
Width 1600 mm	9.2	11.8	14.5
Width 1800 mm	10.4	13.3	16.4
Width 2000 mm	11.5	14.7	18.1
Width 2400 mm	13.8	17.7	21.8

### DESCRIPTION

**Body:** 40 mm acoustic board consisting of sound absorbing polyether (Oeko-Tex) glued on both sides of an 19 mm sound reducing lightweight MDF.

**Upholstery:** Upholstered with fabric on both sides.

The nails are covered with a decorative piping.

**Installation:** Fitted to the table with 2-4 desk fittings.

More information in separate product sheet

"Product sheet Fittings desk ups EN.pdf".

100% recyclable materials.

### FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here:

<http://glimakra.com/en/download/>.


# Limbus Soft 40

Desk screen

Design: Team Glimakra



## OPTIONS




External toolbar:

Glimma: white.


Conceptum: aluminium and white.

A variety of accessories are available.

See price list under Limbus desk screen Toolbar / Accessory for current accessories.



**Diagonal:** Side screen with broken corner, 250 x 250 mm.



**Addon:** Dimensioned add on screen in acrylic plastic. More information in separate product sheet.


## SPECIFICATION TEXT

E.g: Limbus Soft 40 desk screen 1600 x 790 x 40 mm.

2 x 10 mm sound absorbing filling on both sides of an 19 mm sound reducing light weight MDF.

Fabric: Blazer CUZ 30. No visible seams.

Nails hidden by fabric piping black 190.



**Equivalent absorption area per m<sup>2</sup> screen surface (m<sup>2</sup>S/m<sup>2</sup>)**

## CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354. Evaluation made according to standards for individual objects SS 25269. (Values interpolated from test report number: 13-187-M2 and 10171560.03. Akustikverkstan, laboratory accredited by Swedac).

Möbelfakta: The product has been declared and approved in accordance with the criteria in Möbelfakta ver. 2021-11-01.

Reg. No: 920180110. Valid until 2028-01-10.



Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



# Limbus Soft 40

Desk screen

Design: Team Glimakra



GLIMAKRA  
OF SWEDEN

