


PRODUCT SHEET / 2018 04 09

# LimbusCampus

Freestanding screen / Wall absorbent

Design: Johan Kauppi




# LimbusCampus

Freestanding screen / Wall absorbent

Design: Johan Kauppi

LimbusCampus free standing screen can be put on a table or other surface that occasionally needs to be screened off. The frame in white stained solid ash provide a nice quality feel and it does not require any additional support. The screen can also be hung as a decorative wall panel with the supplied hooks. LimbusCampus free standing screen has both sound absorbing and sound reducing properties.

## DIMENSIONS



Width: 700 mm

Height: 360 mm

Thickness: 100 mm

Filling: 60 mm

Frame: 100 x 10 mm

Weight: 3.3 kg

## DESCRIPTION

Frame: White stained solid ash frame 100 x 10 mm joined together with mitred edges and filled with double fabric covered sound absorbing fillings. Total filling thickness of 60 mm.

Filling: Double fillings of 10 mm sound absorbing polyether (Oeko-TEX) glued to a 6 mm sound reducing MDF board (Nordic Ecoabel).

100% recyclable materials.

Delivered with hooks for concealed wall hanging.

## FABRIC AND PIPING

Fabric: Mainline Flax, Blazer, Fenice, Lido och Synergy.

## CERTIFICATE

Möbelfakta: The product meets the requirements for environment and social responsibility defined by Möbelfakta.

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



## SPECIFICATION TEXT

E.g: LimbusCampus OnTable 700 x 360 x 100 mm.

Fabric: Mainline Flax 21.

Wooden frame in white stained ash with double sound absorbing fillings.

Hooks for concealed wall hanging.

# LimbusCampus

Freestanding screen / Wall absorbent

Design: Johan Kauppi

