Reception desk

Design: Team Glimakra






Reception desk


Design: Team Glimakra





Flexible reception desks with wooden frame and many choices for material and colour. Europo reception desk can easily be customized to existing tables or complemented with table and lighting. The Europo family also includes partitions and floor screens.

DIMENSIONS









Other dimensions on request.

Thickness: 40 mm

Desktop:

Width: up to 2430 mm / part

Depth: 400 mm Thickness: 22 mm

Worktop:

Width: up to 2430 mm Depth: 600-800 mm Thickness: 22 mm

DESCRIPTION

Frame: Solid birch, beech or oak (quality: extra fine)

40 x 40 mm.

Lacquer: Clear varnished

Fillings: Glass, veneer or laminate


Desktop: Veneer or laminate 22 mm, beveled edge in MDF

100% recyclable materials.

MOUNTING

The screens are easy to assemble with solid connection strips in different executions. Stability is obtained with wall connections, angled formations, feet and diagonal supports. Glimakra will assists with advice regarding stability, performance and acoustics. Sampled mounted before delivery. Fixed worktop on request.

Connection principle:



Reception desk

Design: Team Glimakra



OPTIONS

Glass: Clear or etched, 4 mm. Veneer: Birch, beech or oak. Glass: Clear or etched, 4 mm.

Laminate: Birch, beech, oak, white, black or grey.

Connection: Connection strip straight / 90° / 60° / 45°,

3-way or 4-way.

End: End strip, staright or diagonal support. Dividing border: Toe kick, height 200 mm Lighting: LED 7,2 W 12 V warm white IP65

Standard colour: White stain, black stain, NCS S 0502-Y

white or NCS S 5000-N grey

Worktop: Veneer in birch, beech, oak or laminate in birch,

beech, oak, white, black or grey, 22 mm.

Power, data, USB: The worktop can be equipped with

Powerdot or Axessline outlets.

CERTIFICATES

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.





SPECIFICATION TEXT

E.g: Glimakra Europo reception desk 2120×840 mm, height 1100 mm, according to product specification.

Frame: Birch natural
Dividing border: 200 mm

Filling: Laminate birch / aluminium Desktop 22 mm birch laminate LED lighting on the outside.

Fixed worktop in 22 mm birch laminate

Reception desk

Design: Team Glimakra







GLIMAKRA OF SWEDEN AB | Box 125 | SE-289 04 Glimåkra | Försäljning +46 44 454 10 | Sales +46 44 454 20 info@glimakra.com | www.glimakra.com | Org.no 556120-7837 | VAT.no SE556120783701