


PRODUCT SHEET / 2021 01 05

LimbusFloor Light

Floor screen

Design: Team Glimakra




LimbusFloor Light

Floor screen

Design: Team Glimakra

LimbusFloor Light is the thinnest member in Limbus by Glimakra. When the acoustics have been taken care of and only effective shielding is required, this fabric-covered screen fits well. It is combined well with other acoustic screens, sofas and ceiling suspended absorbents in Limbus by Glimakra. LimbusDeskup Light has sound reducing properties.

DIMENSIONS



Other dimensions on request.

Thickness: 20 mm

Weight: 16 kg/m²

DESCRIPTION

Body: 19 mm sound reducing light weight MDF.

Upholstery: Upholstered with fabric on both sides. The nails are covered with a decorative piping.

Angular foot (pair): Powder coated grey 400 x 35 x 8 mm.

Total height leg with foot: about 62 mm.

Installation: The feet are mounted with continuous stud bolt (M6).

100% recyclable materials.

FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.


LimbusFloor Light

Floor screen


Design: Team Glimakra

OPTIONS

Foot: Angular foot, angular foot on lockable castors and single leg. Grey as standard, black and white on request.



Angular foot
h 62 mm




Angular foot
on lockable
castors
h 120 mm




Single leg
h 62 mm




Straight




Angle




Three-way



Four-way



Addon: Dimensioned add on screen in acrylic plastic. More information in separate product sheet.



Writingboard: 650 x 970 mm, writing laminate.

CERTIFICATES

Möbelfakta: The product has been declared and approved in accordance with the criteria for floor screens in Möbelfakta ver. 2019-05-01. Reg. 0320151216. Valid until 2025-12-16.



Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

E.g: LimbusFloor Light floor screen 1600 x 1200 x 20 mm with two pair angular feet.

Fabric: Blazer CUZ 28 on the inside and Blazer CUZ 30 on the outside. No visible seams. Nails hidden by piping black 190.

PRODUCT SHEET / 2021 01 05

LimbusFloor Light

Floor screen

Design: Team Glimakra

