

PRODUCT SHEET / 2024 03 11

Limbus Original

Desk screen

Design: Team Glimakra



GLIMAKRA
OF SWEDEN



Limbus Original


Desk screen

Design: Team Glimakra



Limbus Original desk screen is our most advanced desk-up screen and is based on the original version with 40 mm fabric-covered screen with straight lines, sharp edges and a decorative fabric piping around the screen. The desk-up screen has a perfect balance between sound absorption and sound propagation that is achieved with a sound reducing body and a sound absorbing polyether on both sides. The flexibility in size and fabric selection allows the screens to be customized to most desks. Limbus Original desk screen can be equipped with integrated toolbar, cable channel and outlets.

DIMENSIONS



Height over table: See separate product sheet for desk fittings.

Other dimensions on request.

Thickness: 40 mm

Weight [kg]:

Height [mm]:	500	640	790
Width 440 mm	4.0	5.0	6.1
Width 840 mm	5.5	7.0	8.6
Width 1000 mm	7.0	9.0	11.1
Width 1200 mm	7.8	10.0	12.3
Width 1400 mm	9.4	12.0	14.8
Width 1600 mm	10.9	14.0	17.3
Width 1800 mm	12.5	16.0	19.8
Width 2000 mm	14.1	18.0	22.2
Width 2400 mm	16.9	21.6	26.7

DESCRIPTION

Body: 15 mm sound absorbing polyether (Oeko-Tex) glued on both sides of an 8 mm sound reducing MDF board (Nordic Ecolabel) with a 40 mm frame.

Upholstery: Upholstered with fabric on both sides. The nails are covered with a decorative piping.

Installation: Fitted to the table with 2-4 desk fittings. Grey as standard, black and white on request. More information in separate product sheet.

100% recyclable materials.

FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here:

<http://glimakra.com/en/download/>.

Limbus Original

Desk screen

Design: Team Glimakra



OPTIONS



Integrated toolbar: Aluminium and white. A variety of accessories are available. See price list under Limbus Original desk screen Toolbar / Accessory for current accessories.

Integrated outlets: The screen can be fitted with Axessline outlets with 2 power, 1 data and 2 USB. Cable outlets under the desk.


Integrated cable channel: The screen can be fitted with an integrated cable channel with an aluminium cover. Cable outlets under the desk.

Dots: Fabric buttons according to pattern images. *


Dots




* Can not be combined with axessline outlet or cable grommet.




RC Rounded corners



RE Rounded edges: radius 100mm



Diagonal: Side screen with broken corner, 250 x 250 mm.



Addon: Dimensioned add on screen in acrylic plastic. More information in separate product sheet.

Equivalent absorption area per m² screen surface (m²S/m²)


Limbus Original

Desk screen

Design: Team Glimakra



Dots



Limbus Original

Desk screen

Design: Team Glimakra



CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013 (Report 10171560.03, Date 2012-01-30, WSP Akustik, laboratory accredited by Swedac)

Möbelfakta: The product has been declared and approved in accordance with the criteria in Möbelfakta ver. 2021-11-01.

Reg. No: 720180110. Valid until 2028-01-10.



Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.




SPECIFICATION TEXT

E.g: Limbus Original desk screen 1600 x 790 x 40 mm.

2 x 15 mm sound absorbing polyether on both sides of an 8 mm sound reducing MDF board. Sharp corners.

Fabric: Blazer CUZ 28 on the inside and Blazer CUZ 30 on the outside. No visible seams. Nails hidden by fabric piping black 190. Acoustics evaluated according to SS 25269.



Equivalent absorption area per m² screen surface (m²S/m²)

Limbus Original

Desk screen

Design: Team Glimakra



GLIMAKRA
OF SWEDEN

