


# Global

Suspended absorbent

Design: Team Glimakra




# Global

## Suspended absorbent

Design: Team Glimakra

Global is a high-absorbing wall absorbent with rounded borders and shapes. The fabric is nailed to the solid body with high quality and precision. Suspension is easy with adjustable wires.

### DIMENSIONS



Other dimensions on request.

Thickness: 50 mm

Weight square: 6 / 9 / 15 kg


Weight round: 7 / 9 / 12 kg

### DESCRIPTION

Body: 40 mm polyether (Oeko-Tex) glued on 8 mm MDF board (Nordic Ecolabel).

Upholstery: Upholstered with fabric. The nails are covered with a plastic profile.

Suspension: Attached to the ceiling with an easily adjustable wire, 1.5 mm. Length 2 m.



100 % recyclable materials.

### FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.

### OPTIONS

Plastic profile: Black, white and grey.

# Global

## Suspended absorbent

Design: Team Glimakra

### CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013, 2015-12-26, and ISO 11654:1997. (Report 10171560.02, Date 2013-01-04, WSP Akustik)

Möbelfakta: This product has been declared and approved according to the criteria of Möbelfakta ver. 2019-05-01. Reg. number 0120160127. Validity: until 2026-01-27.




Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



### SPECIFICATION TEXT

E.g: Glimakra Global suspended absorbent 1200 x 1200 mm.  
 Fabric: Blazer CUZ28. Plastic profile: Black  
 Acoustics evaluated according to SS 25269.  
 Meet the criteria of Möbelfakta.



Equivalent absorption area per m<sup>2</sup> screen surface (m<sup>2</sup>S/m<sup>2</sup>)

# Global

Suspended absorbent

Design: Team Glimakra

