


Global

Suspended absorbent

Design: Team Glimakra




Global

Suspended absorbent

Design: Team Glimakra

Global is a high-absorbing wall absorbent with rounded borders and shapes. The fabric is nailed to the solid body with high quality and precision. Suspension is easy with adjustable wires.

DIMENSIONS



Other dimensions on request.

Thickness: 50 mm

Weight square: 6 / 9 / 15 kg


Weight round: 7 / 9 / 12 kg

DESCRIPTION

Body: 40 mm polyether (Oeko-Tex) glued on 8 mm MDF board (Nordic Ecolabel).

Upholstery: Upholstered with fabric. The nails are covered with a plastic profile.

Suspension: Attached to the ceiling with an easily adjustable wire, 15 mm. Length 2 m.



100 % recyclable materials.

FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.

OPTIONS

Plastic profile: Black, white and grey.

Global

Suspended absorbent

Design: Team Glimakra



CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013, 2015-12-26, and ISO 11654:1997. (Report 10171560.02, Date 2013-01-04, WSP Akustik)

Möbelfakta: This product has been declared and approved according to the criteria of Möbelfakta ver. 2019-05-01. Reg. number 0120160127. Validity: until 2026-01-27.




Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

E.g: Glimakra Global suspended absorbent 1200 x 1200 mm.
Fabric: Blazer CUZ28. Plastic profile: Black
Acoustics evaluated according to SS 25269.
Meet the criteria of Möbelfakta.



Equivalent absorption area per m² screen surface (m²S/m²)

Global

Suspended absorbent

Design: Team Glimakra

