

LimbusBuildup

Partitions

Design: Johan Kauppi




LimbusBuildup


Partitions

Design: Johan Kauppi


LimbusBuildup is a fabric-covered partition wall system with the same high quality and sound comfort that Glimakra of Sweden is known for. The system can be varied in endless combinations with different corners, fittings, accessories and colours. With LimbusBuildup quiet soundscapes can be created with open or closed rooms, creative pavilions or freestanding walls. The walls can be equipped with doors and also lighting niches and windows that can be placed orderly or in a more playful way, if desired. The windows are available with clear or frosted glass or completely open where the shelf can be used for storage or exposure of objects and plants.




Screen, straight
Thickness: 80 mm




Screen, curved




Frame
140 mm




Door, right alt. left-hinged




Window, open
Depth: 210 mm




Window, glass
Depth: 100 mm on each side of the glass



Lighting niche
Depth: 130 mm



Window, open with clothes rail
Depth: 210 mm
Diameter: 30 mm



Coat hooks
Height: 1500 mm


LimbusBuildup

Partitions

Design: Johan Kauppi




GLIMAKRA
OF SWEDEN



Screen
1000 mm

Straight


2.7 m 57050527010
2.2 m 57050522010



Screen
<1000 mm

Straight, custom made


2.7 m on request
2.2 m on request



Screen
r500 mm


Curved

2.7 m 57050527100
2.2 m 57050522100



Frame
1000 x 2100 mm



2.7 m 57102027052
2.2 m 57102022052



Door
825 x 2040 mm

Right-hinged Birch


2.7 m 57102027051
2.2 m 57102022051



Door
825 x 2040 mm

Left-hinged Birch

2.7 m 57102027050
2.2 m 57102022050



Connecting pole
80 x 80 mm

90°

2.7 m 57050527121
2.2 m 57050522121



Connecting pole
80 x 80 mm

3-way

2.7 m 57050527123
2.2 m 57050522123



Connecting pole
80 x 80 mm

4-way

2.7 m 57050527124
2.2 m 57050522124



End / Wall strip
80 x 30 mm


End

2.7 m 57050527122
2.2 m 57050522122

LimbusBuildup

Partitions

Design: Johan Kauppi




Window
400 x 400 mm

Clear glass
2.7 m 57040427021
2.2 m 57040422021

Frosted glass
2.7 m 57040427031
2.2 m 57040422031

Open
2.7 m 57040427001
2.2 m 57040422001

Lighting niche
2.7 m 57040427041
2.2 m 57040422041




Window
400 x 400 mm

Clear glass
2.7 m 57040427022
2.2 m 57040422022

Frosted glass
2.7 m 57040427032
2.2 m 57040422032

Open
2.7 m 57040427002
2.2 m 57040422002

Lighting niche
2.7 m 57040427042
2.2 m 57040422042




Window
400 x 400 mm

Clear glass
2.7 m 57040427023
2.2 m 57040422023

Frosted glass
2.7 m 57040427033
2.2 m 57040422033

Open
2.7 m 57040427003
2.2 m 57040422003

Lighting niche
2.7 m 57040427043
2.2 m 57040422043




Window
800 x 400 mm

Clear glass
2.7 m 57080427021
2.2 m 57080422021

Frosted glass
2.7 m 57080427031
2.2 m 57080422031

Open
2.7 m 57080427001
2.2 m 57080422001

Lighting niche
2.7 m 57080427041
2.2 m 57080422041




Window
800 x 400 mm

Clear glass
2.7 m 57080427022
2.2 m 57080422022

Frosted glass
2.7 m 57080427032
2.2 m 57080422032

Open
2.7 m 57080427002
2.2 m 57080422002

Lighting niche
2.7 m 57080427042
2.2 m 57080422042




Window
800 x 400 mm

Clear glass
2.7 m 57080427023
2.2 m 57080422023

Frosted glass
2.7 m 57080427033
2.2 m 57080422033

Open
2.7 m 57080427003
2.2 m 57080422003

Lighting niche
2.7 m 57080427043
2.2 m 57080422043




Window
800 x 800 mm

Clear glass
2.7 m 57080827021
2.2 m 57080822021

Frosted glass
2.7 m 57080827031
2.2 m 57080822031

Open
2.7 m 57080827001
2.2 m 57080822001

Lighting niche
2.7 m 57080827041
2.2 m 57080822041




Window
800 x 800 mm

Clear glass
2.7 m 57080827022
2.2 m 57080822022

Frosted glass
2.7 m 57080827032
2.2 m 57080822032

Open
2.7 m 57080827002
2.2 m 57080822002

Lighting niche
2.7 m 57080827042
2.2 m 57080822042



Window
800 x 800 mm

Clear glass
2.7 m 57080827023
2.2 m 57080822023

Frosted glass
2.7 m 57080827033
2.2 m 57080822033


Open
2.7 m 57080827003
2.2 m 57080822003

Lighting niche
2.7 m 57080827043
2.2 m 57080822043

LimbusBuildup

Partitions

Design: Johan Kauppi




Window
800 x 800 mm

Clear glass
2.7 m 57080827024
2.2 m 57080822024

Frosted glass
2.7 m 57080827034
2.2 m 57080822034

Open
2.7 m 57080827004
2.2 m 57080822004

Lighting niche
2.7 m 57080827044
2.2 m 57080822044




Window
800 x 1200 mm

Clear glass
2.7 m 57081227021
2.2 m 57081222021

Frosted glass
2.7 m 57081227031
2.2 m 57081222031

Open
2.7 m 57081227001
2.2 m 57081222001




Window
800 x 1600 mm

Clear glass
2.7 m 57081627021
2.2 m 57081622021


Frosted glass
2.7 m 57081627031
2.2 m 57081622031

Open
2.7 m 57081627001
2.2 m 57081622001



Window
800 x 1600 mm

Open, clothes rail
2.7 m 57081627011
2.2 m 57081622011



Coat hooks
Ø32 x 45 mm

Coat hooks
2.7 m 57080427044
2.2 m 57080422044

LimbusBuildup

Partitions

Design: Johan Kauppi

DESCRIPTION

Curved and straight upholstered system walls with width of 1000 mm or radius 500 mm. Height 2200 mm alt. 2700 mm. Body: 35 mm sound absorbing polyether (Oeko-Tex) glued on both sides of an 8 mm sound reducing MDF board (Nordic Ecolabel) with a 80 mm solid wood frame.

Upholstery: Upholstered with fabric on both sides.

The screens can be equipped with door, windows and lighting niches with protruding frame in birch.

Window: Clear glass, frosted glass or open. Windows, open, can be fitted with clothes rail in birch.

Coat hooks: 3 pcs in birch, Ø32 x 45 mm

Lighting niche: Back in birch and integrated LED strip at the top. Upholstered backside. Drivers are placed on the top of the screen. 3 m power cable with European connector.

Door: Door 825x 2040 mm birch. Right or left.


Connection: Upholstered connection poles 90°, 3-way or 4-way. Ending: Upholstered end strip.

Dimensions between 2700 - 3000 mm and other dimensions on request.

100% recyclable materials.

MOUNTING

The elements are delivered semi assembled. The walls are easily connected with pre mounted special fitting (pic 1). Niches, frames and doors are installed on site. The assembly requires no extra ceiling height and requires two persons. Stability is achieved with wall connectors, angled screens and ceiling wire for mounting. Glimakra will assist with advice regarding stability, performance and acoustics. Mounting with ceiling wire (pic 2).



1. Special fitting

FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.

OPTIONS

Electricity: Simple white power socket recessed in a junction box 200 mm above floor.

CERTIFICATE

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

Eg. Glimakra LimbusBuildup room 3160 x 3160 x 2200 mm consisting of:

7 pcs LimbusBuildup 1000 x 2200 mm, fabric: Blazer CUZ28

1 pc LimbusBuildup 1000 x 2200 mm, fabric: Blazer CUZ28, with window 800 x 800 mm, height 600 mm, clear glass.

1 pc LimbusBuildup 1000 x 2200 mm, fabric: Blazer CUZ28, with window 800 x 800 mm, height 800 mm, clear glass.

Power socket white.


1 pc LimbusBuildup 1000 x 2200 mm, fabric: Blazer CUZ28, with window 800 x 800 mm, height 1000 mm, clear glass.

Power socket white.

1 pc LimbusBuildup 1000 x 2200 mm, fabric: Blazer CUZ28, with lighting niche 800 x 800 mm, height 1000 mm.

1 pc LimbusBuildup 1000 x 2200 mm, fabric: Blazer CUZ28, with door 825 x 2040 mm, left.

4 pcs LimbusBuildup upholstered connection poles 90°, fabric: Blazer CUZ28.



2. Ceiling wire

LimbusBuildup

Partitions

Design: Johan Kauppi

