

PRODUCT SHEET / 2018 04 06

# LimbusDeskup OnTable

Freestanding screen

Design: Team Glimakra / Johan Kauppi




# LimbusDeskup OnTable

Freestanding screen

Design: Team Glimakra / Johan Kauppi

LimbusDeskup OnTable can be put on a table or other surface that occasionally needs to be screened off. The screen is available with a white powder coated metal foot or feet in white stained solid ash which easily can be mounted and dismantled without any tools. LimbusDeskup OnTable has both sound absorbing and sound reducing properties.

## DIMENSIONS



Other dimensions on request.

Thickness: 40 mm

Weight: 5.0 / 6.6 kg

## DESCRIPTION

Body: 15 mm sound absorbing polyether (Oeko-Tex) glued on both sides of an 8 mm sound reducing MDF board (Nordic Ecolabel) with a 40 mm frame.

Upholstery: Upholstered with fabric on both sides. The nails are covered with piping.

Metal foot: White powder coated plate 300 x 120 x 3 mm with 2 lathed metal studs Ø8 x 80 mm. The foot adds about 5 mm.

Wooden foot: 300 x 87 x 45 mm or 2 pcs 50 x 87 x 45 mm in white stained ash. The foot adds about 17 mm.

Installation: The screen is equipped with fittings for attaching the foot with Ø8 mm studs.

100% recyclable materials.

## FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.

## OPTIONS

Foot: White painted metal plate, short feet in white stained solid ash and long feet in white stained solid ash.

# LimbusDeskup OnTable

Freestanding screen

Design: Team Glimakra / Johan Kauppi

## CERTIFICATE

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013 (Report 10171560.03, Date 2012-01-30, WSP Akustik, laboratory accredited by Swedac)

Möbelfakta: The product meets the requirements for environment and social responsibility defined by Möbelfakta.

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.




## SPECIFICATION TEXT

E.g: Glimakra LimbusDeskup OnTable 600 x 450 x 40 mm with long foot white stained solid ash.

2 x 15 mm sound absorbing polyether on both sides of an 8 mm sound reducing MDF board.

Fabric side 1: Blazer CUZ 28. Fabric side 2: Blazer CUZ 30.

Piping: black 190.



Equivalent absorption area per object (m<sup>2</sup>S/object)

# LimbusDeskup OnTable

Freestanding screen

Design: Team Glimakra / Johan Kauppi

