

PRODUCT SHEET / 2020 04 03

# LimbusDeskup Soft

Desk screen

Design: Team Glimakra




# LimbusDeskup Soft

Desk screen

Design: Team Glimakra

LimbusDeskup Soft is a thinner desk-up screen with the characteristic fabric piping around the screen. The desk-up screen focuses on reducing sound propagation in combination with good sound absorption in modern facilities. Reducing the sound propagation between workplaces is often the most important feature of desk-up screens. LimbusDeskup Soft offers flexibility, high quality and a design that blends into most environments. Very popular in large projects.

## DIMENSIONS



Height over table: See separate product sheet for desk fittings.

Other dimensions on request.

Thickness: 33 mm

Weight [kg]:

Height [mm]:	500	640	790
Width 433 mm	2.5	3.2	4.0
Width 833 mm	4.8	6.1	7.6
Width 1000 mm	5.8	7.4	9.1
Width 1200 mm	6.9	8.8	10.9
Width 1400 mm	8.1	10.3	12.7
Width 1600 mm	9.2	11.8	14.5
Width 1800 mm	10.4	13.3	16.4
Width 2000 mm	11.5	14.7	18.1
Width 2400 mm	13.8	17.7	21.8

## DESCRIPTION

Body: 31 mm acoustic board consisting of sound absorbing polyether (Oeko-Tex) glued on both sides of an 19 mm sound reducing lightweight MDF.

Upholstery: Upholstered with fabric on both sides. The nails are covered with a decorative piping.

Installation: Fitted to the table with 2-4 desk fittings. Grey as standard, black and white on request. More information in separate product sheet "Product sheet Fittings desk ups EN.pdf".

100% recyclable materials.

## FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.

# LimbusDeskup Soft


Desk screen

Design: Team Glimakra




## OPTIONS

External toolbar: Aluminium and white. A variety of accessories are available. See price list under LimbusDeskup Toolbar / Accessory for current accessories.



Diagonal: Side screen with broken corner, 250 x 250 mm.



Addon: Dimensioned add on screen in acrylic plastic. More information in separate product sheet.

## CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013 (Report number: 16-213-M3, Date 2016-09-30 and report number: 13-187-M2, Date 2013-12-17, Akustikverkstan, laboratory accredited by Swedac)

Möbelfakta: The product has been declared and approved in accordance with the criteria in Möbelfakta ver. 2018-01-10. Reg. No: 0920180110. Valid until 2023-01-10.

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.




## SPECIFICATION TEXT

E.g: LimbusDeskup Soft 1600 x 790 x 33 mm.


Sound absorbing filling on both sides of an 19 mm sound reducing light weight MDF.

Fabric: Blazer CUZ 30. No visible seams. Nails hidden by fabric piping black 190.

Acoustics evaluated according to SS 25269.



Equivalent absorption area per m<sup>2</sup> screen surface (m<sup>2</sup>S/m<sup>2</sup>)



Equivalent absorption area per m<sup>2</sup> screen surface (m<sup>2</sup>S/m<sup>2</sup>)

PRODUCT SHEET / 2020 04 03

# LimbusDeskup Soft

Desk screen

Design: Team Glimakra

