



Global Local

Wall absorbent

Design: Bertil Harström | Johan Kauppi



Global Local


Wall absorbent

Design: Bertil Harström | Johan Kauppi



Global Local are high-absorbing wall absorbents with inspiration from traditional Swedish old wood facades and roofs. The panels are grouped in long and short panels which can be used unlimited to create unique patterns with different mounting options. The fabric is nailed to the solid body with high quality and precision. The large selection of standard fabrics provide almost unlimited opportunities to create beautiful and functional wall environments that gives the room a lot of character and absorption.

DIMENSIONS



Thickness: 50 mm

Weight:

Global Local S: 2.2 / 2.4 / 3.2 / 4.2 kg

Global Local L: 6.6 / 7.2 / 9.6 kg

DESCRIPTION

Body: 40 mm polyether (Oeko-Tex) glued on 8 mm MDF board (Nordic Ecolabel).

Upholstery: Upholstered with fabric. The nails are covered with a plastic profile.

Installation: Mounting with aluminum rails screwed to the wall.



100 % recyclable materials.

FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.

OPTIONS

Plastic profile: Black, white and grey.

Installation: Alternative mounting with panel click button connectors, e.g. when sloping walls.

Global Local

Wall absorbent

Design: Bertil Harström | Johan Kauppi



CERTIFICATES

Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013, 2015-12-26, and ISO 11654:1997. (Report 10171560.02, Date 2013-01-04, WSP Akustik)

Möbelfakta: The product has been declared and approved* in accordance with the criteria for wall absorbents in Möbelfakta ver.2015-05-01. Reg. No: 0220160127. Valid until 2021-01-27.

* with fabric nailed on the back.



Fire classification: DIN4102-B2

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

E.g: Global Local S wall panels 1200 x 1980 mm consisting of:

1 pc Global Local S 200 x 660 mm, fabric: Blazer CUZ28

2 pc Global Local S 250 x 660 mm, fabric: Blazer CUZ28

4 pc Global Local S 350 x 660 mm, fabric: Blazer CUZ28

3 pc Global Local S 500 x 660 mm, fabric: Blazer CUZ28

Plastic profile: Black

Installation with aluminum rails for easy wall mounting.









Acoustics evaluated according to SS 25269.

Meet the criteria of Möbelfakta.

Global Local

Wall absorbent

Design: Bertil Harström | Johan Kauppi

Equivalent absorption area per object (m²S/object)Equivalent absorption area per object (m²S/object)Equivalent absorption area per object (m²S/object)Equivalent absorption area per object (m²S/object)Equivalent absorption area per object (m²S/object)Equivalent absorption area per object (m²S/object)Equivalent absorption area per object (m²S/object)Equivalent absorption area per m² screen surface (m²S/m²)

Global Local

Väggabsorbent

Design: Bertil Harström | Johan Kauppi



Global Local

Wäggabsorbent

Design: Bertil Harström | Johan Kauppi

