


PRODUCT SHEET / 2019 12 01

# LimbusFences

Acoustic floor screens

Design: Johan Kauppi



# LimbusFences

## Acoustic floor screens

Design: Johan Kauppi

A family of repeatable room dividers, for meetings and work. The design has a clear horizontal expression, inspired by the landscape of Swedish Lapland. The system is based on identical acoustic baffles of fabric, mounted at consistent distances, giving the furniture a balanced combination of sound absorption and transparency, for large-scale repetition in public interiors.


### DIMENSIONS

#### LimbusFences 4



Width: 1200, 1600 mm  
Height: 1103 mm  
Weight: 38 kg, 42 kg  
Thickness: 33 mm (panels),  
30 mm (pipes)

#### LimbusFences 6



Width: 1200, 1600 mm  
Height: 1550 mm  
Weight: 46 kg, 54 kg  
Thickness: 33 mm (panels),  
30 mm (pipes)

### OPTIONS

All LimbusFence modules are also available with one solid baffle s.c. LimbusFences Solid.



### DESCRIPTION

**LimbusFences** has 4 or 6 sound absorbing panels that hooks up with air gap between 30 mm white powder coated pipes. Between the screens, there are connecting pipes and the outer edges have endpipes. Each pipe is mounted on a 300 mm rectangular metal plate.

Panels: 19 mm lightweight MDF coated with 6 mm polyether and fabric. Piping in matching color.

Metal frame: Powder-coated NCS S 0500-N White  
100% recyclable materials.

### FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>


### MOUNTING

**LimbusFences:** The panels with integrated brackets hatch quickly in the endpipe and coupling pipes with integrated coupling brackets. Then the feet are mounted and the screens can be raised to complete the assembly with the top and bottom coupling tabs.

# LimbusFences

Acoustic floor screens

Design: Johan Kauppi



# LimbusFences

Acoustic floor screens

Design: Johan Kauppi



## CERTIFICATES

Möbelfakta: The product meets the requirements for environment and social responsibility defined by Möbelfakta.

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



## SPECIFICATION TEXT

E.g: LimbusFences 4, 1200x1103 mm, powder coated white.

Fabric: Blazer CUZ28, piping18.

# LimbusFences

Acoustic floor screens

Design: Johan Kauppi

