

PRODUCT SHEET / 2024 03 25

Limbus SUB 40

Desk screen

Design: Team Glimakra



GLIMAKRA
OF SWEDEN



Limbus SUB 40


Desk screen

Design: Team Glimakra



The Limbus SUB 40 desk screen is a perfect complement to the Limbus Original when a homogeneous filling is needed to meet specific sound absorption requirements. With its straight corners and decorative piping around the screen, it maintains the same aesthetic as the Limbus Original. Fittings, connectors, and toolbars offer the same flexibility as the original system. For additional functionality, the Limbus SUB 40 desk screen can be equipped with an integrated Glimma toolbar, providing even greater customization options in your workspace.

DIMENSIONS



Height over table: See separate product sheet for desk fittings.
Other dimensions on request.

Thickness: 40 mm

Sound absorbing filling: 40mm

Weight [kg]:

Height [mm]:	640
Width 840 mm	7.0
Width 1000 mm	9.0
Width 1200 mm	10.0
Width 1400 mm	12.0
Width 1600 mm	14.0
Width 1800 mm	16.0
Width 2000 mm	18.0
Width 2400 mm	21.6

DESCRIPTION

Frame: Finger-jointed wooden frame 50 x 40 mm with straight corners. Sound-absorbing filling in Post Consumer Setex 135 as the standard option. Other fillings are available upon request.

100% recyclable materials.

Made in Sweden

Upholstery: Upholstered with fabric on both sides. The nails are covered with a decorative piping.

INSTALLATION

Fitted to the table with 2-3 desk fittings.

More information in separate product sheet:

Fittings for desk screens_Product sheet_EN.pdf.

FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here:

<http://glimakra.com/en/download/>.

Limbus SUB 40

Desk screen


Design: Team Glimakra




OPTIONS

Glimma accessory rail white and Uniform white, black or natural anodised aluminium. A variety of accessories are available.

See the price list under LimbusDeskup Accessory / Toolbar for current accessories.



RC Rounded corners:



Addon: Customized acrylic screen.
More information in separate product sheet.

CERTIFICATES

Acoustics: Measurements on screens performed according to ISO 354. Evaluation carried out according to the standard for individual objects ISO 20189. A full report is available upon request.

Möbelfakta: The product fulfils Möbelfakta's requirements for the environment and responsible supply chains.

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

Ex: Glimakra Limbus Sub 40 desk up screen. 1600x640x40mm
Fabric: Blazer CUZ 28 on the inside and Blazer CUZ 30 on the outside. No visible seams. Nailing hidden by piping black 190.

Limbus SUB 40

Desk screen

Design: Team Glimakra



GLIMAKRA
OF SWEDEN

