

PRODUCT SHEET / 2024 04 22

Limbus SUB

Partitions

Design: Team Glimakra



GLIMAKRA
OF SWEDEN



Limbus SUB

Partitions

Design: Team Glimakra



Discover Limbus Partition: A new mix of Limbus Sub floor screens and Limbus Sub work booths with a curved design that catches the eye. This smart system lets you create room-dividers that absorb sound with style. Quick assembly is easy with the handy built-in keyhole fittings.

DESCRIPTION


Curved floor screens are connected with straight screens in 4 widths and 3 heights. They are linked together with integrated keyhole fittings that hook into each other. Setups are finished with fully covered sides

Frame straight screen: A wooden frame 80 x 30 mm joined with sharp corners and filled with an 80 mm solid sound-absorbing filling.

Frame curved screen: 75 mm of recycled polyether from own production inside two sheets of perforated masonite and an 80 mm solid wood frame.

Upholstery: Nailed with fabric on both sides.
See product sheet. 100% recyclable materials.

SIZE



Limbus SUB

Partitions

Design: Team Glimakra



FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here:

<http://glimakra.com/en/download/>.

INSTALLATION

The screens have integrated brackets which make installation very easy. Feet are only needed for longer freestanding walls.


OPTIONS

Fixed table top Coupé with single support leg.


Length 1000-1400 mm. Sides 1000/700 mm.

Addon, acrylic screen, on straight screens


Freestanding whiteboard with hanging hooks



Addon: Customised add-on screen in acrylic plastic. More information is available in a separate product sheet.



Writingboard: Writing board 650 x 970 mm, writing laminate.



Straight foot: H 10 mm

CERTIFICATES


Acoustics: Measurements made in accordance with ISO 354:2003. Evaluation made according to standards for individual objects SS 25269:2013 (Report 14-186-M1, Date 2014-12-10, Akustikverkstan, laboratory accredited by Swedac)

Möbelfakta: This product has been declared and approved according to the criteria of Möbelfakta ver. 2019-05-01. Reg. number 0120151216. Validity: until 2025-12-16.



SPECIFICATION TEXT

E.g: Glimakra Limbus Sub Partition. 3 straight screens 1000x1600x80mm, 2 curved screens 1600mm radius 500mm, keyhole fittings. 75mm sound absorbing filling. Sharp corners. Fabric: Blazer CUZ 28 on the inside and Blazer CUZ 30 on the outside. No visible seams. Nailing covered by piping black 190.



Limbus SUB

Partitions

Design: Team Glimakra



GLIMAKRA
OF SWEDEN



Limbus SUB

Partitions

Design: Team Glimakra



GLIMAKRA
OF SWEDEN

