

Ablis

Shelving system

Design: Fredrik Mattson



GLIMÅKRA
OF SWEDEN



Ablis

Shelving system

Design: Fredrik Mattson

The Ablis shelving system is created to fit perfectly with rails, which can be used either with Ribbon Wall or freestanding. When combined with Ribbon Wall, the rail blends discreetly between the panels, creating the illusion of floating shelves. Our cabinets are available both with elegant sliding doors and in open versions. The shelves are available in high (Book end) or low versions.

DIMENSIONS

Cabinet with sliding doors:	18kg
Cabinet open:	15kg
Shelf low:	4,0kg
Shelf high:	4,5kg
Wall rail WR 1888:	1,1kg
Wall rail WR 1120:	0,6kg
Wall rail WR 512:	0,3kg

MAX. WEIGHT

Shelf: 59 kg
Cabinet: 94 kg

DESCRIPTION

Our veneered shelves with a painted metal frame easily hook into the wall rails. The shelves are available in ash, oak, walnut, white ash, or black ash. The metal details and rails come in black, white, or grey. The high shelf functions as a bookend, while the low shelf is an open shelf. The shelves are delivered fully assembled.

The veneered cabinets, with or without sliding doors, match the colours and materials of the shelves. When mounting on the Ribbon Wall, use Console WR, and when mounting directly to the wall, use Console Wall. The cabinets have two adjustable shelves and are delivered fully assembled.



MATERIALS

Shelves and cabinet frame: 15mm chipboard veneered and UW lacquered in oak, ash, walnut, ash black and ash white
Brackets: Laser cut sheet metal powder coated in black, white, or grey.
Rails: Laser cut square tube 15x15mm, powder coated in black, white, or grey.
Handles: In stainless steel.

ASSEMBLY

The rails are mounted with c/c 800mm and each rail can connect two shelves or cabinets side by side. They should be screwed to the wall with suitable screws and plugs that can withstand at least 50kg load per shelf/cabinet. For best results, the screw should have a rounded head with a maximum Ø9mm if it is to be folded into the rail.

The pre-assembled shelves and cabinets are then easily hooked into the rails. When mounting on the Ribbon Wall, the felt should be cut away where the rail will be placed.



Shelf low

Shelf high

SHEET METAL POWDER COATED, OPTIONS




Ablis

Shelving system

Design: Fredrik Mattson



GLIMAKRA
OF SWEDEN



Console wall

Console WR

Cabinets with sliding doors

Console wall

Console WR

Cabinets open

Ablis

Shelving system

Design: Fredrik Mattson



CERTIFICATES

The ABLIS shelving system was tested by RISE on 2025-02-17 and meets all requirements according to EN 16121:2024, test severity 1 (Report 1290574A and 1290574B).

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



SPECIFICATION TEXT

Eg: Ablis ash grey low, 796.5 x 297 mm

Wall rail WR grey, 1888 x 15 x 15 mm

Ablis cabinet with sliding doors, ash grey, 796.5 x 350 mm

2 pcs of WR brackets


Ablis

Shelving system

Design: Fredrik Mattson



GLIMAKRA
OF SWEDEN



Shelf low:

Ash white / white



Ash / grey



Ash / black



Ash black / black



Oak / grey



Oak / black



Walnut / black



Shelf high:



Wall rail WR 1888: 1888 x 15 x 15mm

Wall rail WR 1120: 1120 x 15 x 15mm

Wall rail WR 512: 512 x 15 x 15

Ablis

Shelving system

Design: Fredrik Mattson



GLIMAKRA
OF SWEDEN

Cabinets with sliding doors

Ash white / white



Cabinet open



Ash / grey



Oak / grey



Walnut / black



Ash black / black




Ablis

Shelving system


Design: Fredrik Mattson

Cabinets with sliding doors

Ash white / white



Ash / grey




Oak / grey



Walnut / black



Ash black / black



Ablis

Shelving system

Design: Fredrik Mattson



GLIMAKRA
OF SWEDEN



PRODUCT SHEET / 2 APRIL 2025

Ablis

Shelving system

Design: Fredrik Mattson



GLIMAKRA
OF SWEDEN

